



Catalogue Panduan Cara Identifikasi Koneksi Fitting Hydraulic


Cara Ukur Panjang Hose



Cara Ukur Koneksi Fitting



FITTING JIC Female / FITTING NJ Female



PART NO.	THREAD - E	INNER - E (mm)	O.D. DOUBEL NEPPEL (mm)	HOSE BORE		DIMENSIONS HEXAGON - S2	FITTING
				KONEKSI FITTING	EKOR TO HOSE		
26712-04-04	7/16" - 20 G	9.9	11.1	04 JIC	1/4"	14	STANDART
26712-06-04	9/16" - 18 G	12.8	14.3	06 JIC	1/4"	19	JUMP SIZE
26712-06-06	9/16" - 18 G	12.8	14.3	06 JIC	3/8"	19	STANDART
26712-08-06	3/4" - 16 G	17.5	19.1	08 JIC	3/8"	22	JUMP SIZE
26712-08-08	3/4" - 16 G	17.5	19.1	08 JIC	1/2"	22	STANDART
26712-10-08	7/8" - 14 G	20.6	22.2	10 JIC	1/2"	27	JUMP SIZE
26712-10-10	7/8" - 14 G	20.6	22.2	10 JIC	5/8"	27	STANDART
26712-12-10	1-1/16" - 12 G	24.6	27	12 JIC	5/8"	32	JUMP SIZE
26712-12-12	1-1/16" - 12 G	24.6	27	12 JIC	3/4"	32	STANDART
26712-16-12	1-5/16" - 12 G	31.4	33.3	16 JIC	3/4"	38	JUMP SIZE
26712-16-16	1-5/16" - 12 G	31.4	33.3	16 JIC	1"	38	STANDART
26712-20-20	1-5/8" - 12 G	39.3	41.3	20 JIC	1-1/4"	50	STANDART
26712-24-24	1-7/8" - 12 G	45.6	47.6	24 JIC	1-1/2"	55	STANDART
26712-32-32	2-1/2" - 12 G	61.5	63.5	32 JIC	2"	75	STANDART

NOTE :

Untuk type belok 90 ° dan 45° ukuran sama hanya beda belok saja , perhatikan untuk type Jump Size.

FITTING BSP Female / FITTING NU Female



PART NO.	THREAD - E	INNER - E (mm)	O.D. DOUBEL NEPPEL (mm)	HOSE BORE		DIMENSIONS HEXAGON - S2	FITTING
				KONEKSI FITTING	E KOR TO HOSE		
22612-04-04	19-G	11.6	13	04 NU	1/4"	19	STANDART
22612-06-04	19-G	15.1	16.5	06 NU	1/4"	22	JUMP SIZE
22612-06-06	19-G	15.1	16.5	06 NU	3/8"	22	STANDART
22612-08-06	14-G	18.9	20.8	08 NU	3/8"	27	JUMP SIZE
22612-08-08	14-G	18.9	20.8	08 NU	1/2"	27	STANDART
22612-10-08	14-G	20.9	22.8	10 NU	1/2"	30	JUMP SIZE
22612-10-10	14-G	20.9	22.8	10 NU	5/8"	30	STANDART
22612-12-10	11-G	24.1	26.4	12 NU	5/8"	32	JUMP SIZE
22612-12-12	11-G	24.1	26.4	12 NU	3/4"	32	STANDART
22612-16-12	11-G	30.6	33	16 NU	3/4"	41	JUMP SIZE
22612-16-16	11-G	30.6	33	16 NU	1"	41	STANDART
22612-20-20	11-G	39.4	41.7	20 NU	1-1/4"	50	STANDART
22612-24-24	11-G	45.2	47.5	24 NU	1-1/2"	55	STANDART
22612-32-32	11-G	57.1	59.4	32 NU	2"	70	STANDART

NOTE :

Untuk type belok 90 ° dan 45° ukuran sama hanya beda belok saja , perhatikan untuk type Jump Size.

FITTING ORFS Female / FITTING HTC Female





PART NO.	THREAD - E	INNER - E (mm)	O.D. DOUBEL NEPPEL (mm)	HOSE BORE		DIMENSIONS HEXAGON - S2	FITTING
				KONEKSI FITTING	E KOR TO HOSE		
24212-04-04	9/16" - 18 G	12.8	14.3	04 HTC	1/4"	19	STANDART
24212-06-04	11/16" - 16 G	15.8	17.4	06 HTC	1/4"	22	JUMP SIZE
24212-06-06	11/16" - 16 G	15.8	17.4	06 HTC	3/8"	22	STANDART
24212-08-06	13/16" - 16 G	19.1	20.6	08 HTC	3/8"	27	JUMP SIZE
24212-08-08	13/16" - 16 G	19.1	20.6	08 HTC	1/2"	27	STANDART
24212-10-08	1" - 14 G	23.5	25.4	10 HTC	1/2"	32	JUMP SIZE
24212-10-10	1" - 14 G	23.5	25.4	10 HTC	5/8"	32	STANDART
24212-12-10	1.3/16" - 12 G	27.9	30.1	12 HTC	5/8"	36	JUMP SIZE
24212-12-12	1.3/16" - 12 G	27.9	30.1	12 HTC	3/4"	36	STANDART
24212-16-12	1.7/16" - 12 G	34.4	36.5	16 HTC	3/4"	41	JUMP SIZE
24212-16-16	1.7/16" - 12 G	34.4	36.5	16 HTC	1"	41	STANDART
24212-20-20	1.11/16" - 12 G	40.6	42.8	20 HTC	1-1/4"	50	STANDART
24212-24-24	2" - 12 G	48.6	50.8	24 HTC	1-1/2"	60	STANDART

NOTE :



Untuk type belok 90 ° dan 45° ukuran sama hanya beda belok saja , perhatikan untuk type Jump Size.

FITTING JIS GAS / JIS BSP Female / FITTING NPF Female

   							
PART NO.	THREAD - E	INNER - E (mm)	O.D. DOUBEL NEPPEL (mm)	HOSE BORE		DIMENSIONS HEXAGON - S2	FITTING
				KONEKSI FITTING	EKOR TO HOSE		
29611-04-04	19-G	11.6	13	04 NPF	1/4"	19	STANDART
29611-06-04	19-G	15.1	16.5	06 NPF	1/4"	22	JUMP SIZE
29611-06-06	19-G	15.3	16.5	06 NPF	3/8"	22	STANDART
29611-08-06	14-G	18.9	20.8	08 NPF	3/8"	27	JUMP SIZE
29611-08-08	14-G	18.9	20.8	08 NPF	1/2"	27	STANDART
29611-10-10	14-G	20.9	22.8	10 NPF	5/8"	30	STANDART
29611-12-12	14-G	24.1	26.4	12 NPF	3/4"	32	STANDART
29611-16-12	11-G	30.6	33	16 NPF	3/4"	41	JUMP SIZE
29611-16-16	11-G	30.6	33	16 NPF	1"	41	STANDART
29611-20-20	11-G	39.4	41.7	20 NPF	1-1/4"	50	STANDART
29611-24-24	11-G	45.2	47.5	24 NPF	1-1/2"	55	STANDART
29611-32-32	11-G	57.1	59.4	32 NPF	2"	70	STANDART

NOTE : Bentuk mirip dengan JIC, NM Mterik. hanya beda drat dan dimensi tirus dan dimensi inner
Untuk type belok 90 ° dan 45° ukuran sama hanya beda belok saja , perhatikan untuk type Jump Size.

FITTING JIS KOMATSU / JIS METRIC / FITTING NM Female

   							
PART NO.	THREAD - E	INNER - E (mm)	O.D. DOUBEL NEPPEL (mm)	HOSE BORE		DIMENSIONS HEXAGON - S2	FITTING
				KONEKSI FITTING	EKOR TO HOSE		
28691-04-14	M14 x 1.5	12.5	14	04 NM - 14A	1/4"	19	STANDART
28691-04-16	M16 x 1.5	14.5	16	04 NM - 16A	1/4"	22	STANDART
28691-06-16	M16 x 1.5	14.5	16	06 NM - 16A	3/8"	22	STANDART
28691-06-18	M18 x 1.5	16.5	18	06 NM - 18A	3/8"	24	STANDART
28691-08-18	M18 x 1.5	16.5	18	08 NM - 18A	1/2"	24	STANDART
28691-08-20	M20 x 1.5	18.5	20	08 NM - 20A	1/2"	27	STANDART
28691-08-22	M22 x 1.5	20.5	22	08 NM - 22A	1/2"	27	STANDART
28691-10-24	M24 x 1.5	22.5	24	10 NM - 24A	5/8"	32	STANDART
28691-12-30	M30 x 1.5	28.5	30	12 NM - 30A	3/4"	36	STANDART
28691-16-33	M33 x 1.5	31.5	33	16 NM - 33A	1"	41	STANDART
28691-20-36	M36 x 1.5	34.5	36	20 NM - 36A	1-1/4"	46	STANDART
28691-24-42	M42 x 1.5	40.5	42	24 NM - 42A	1-1/2"	55	STANDART

NOTE : Bentuk mirip dengan JIC, NPF JIS GAS BSPP. hanya beda drat dan dimensi tirus dan dimensi inner
Untuk type belok 90 ° dan 45° ukuran sama hanya beda belok saja , perhatikan untuk type Jump Size.

FITTING FLANGE C-61 / FLANGE 3000 PSI / FITTING PA



PART NO.	FLANGE O.D - C	TEBAL FLANGE L (mm)	SPLIT FLANGE	HOSE BORE		DIMENSIONS AS - D	FITTING
				KONEKSI FITTING	EKOR TO HOSE		
87311-08-08	30.3	6.8	FL-08	08 PA	1/2"	24	STANDART
87311-10-08	34.4	7.1	FL-10	10 PA	1/2"	27	JUMP SIZE
87311-12-08	38.2	7.4	FL-12	12 PA	1/2"	31.7	JUMP SIZE
87311-10-10	34.4	7.1	FL-10	10 PA	5/8"	27	JUMP SIZE
87311-12-12	38.2	7.4	FL-12	12 PA	3/4"	31.7	STANDART
87311-16-12	44.4	8.3	FL-16	16 PA	3/4"	38	JUMP SIZE
87311-16-16	44.4	8.3	FL-16	16 PA	1"	38	STANDART
87311-20-16	50.8	8.3	FL-20	20 PA	1"	43	JUMP SIZE
87311-20-20	50.8	8.3	FL-20	20 PA	1-1/4"	43	STANDART
87311-24-20	60.3	8.3	FL-24	24 PA	1-1/4"	50	JUMP SIZE
87311-24-24	60.3	8.3	FL-24	24 PA	1-1/2"	50	STANDART
87311-32-24	71.3	9.6	FL-32	32 PA	1-1/2"	62	JUMP SIZE
87311-32-32	71.3	9.6	FL-32	32 PA	2"	62	STANDART

NOTE : FITTING FLANGE PA, PH DAN PHC. MIRIP HANYA BEDA DIMENSI DAN TEBAL FLANGE
Untuk type belok 90 ° dan 45° ukuran sama hanya beda belok saja , perhatikan untuk type Jump Size.


FITTING FLANGE C-62 / FLANGE 6000 PSI / FITTING PH



PART NO.	FLANGE O.D - C	TEBAL FLANGE L (mm)	SPLIT FLANGE	HOSE BORE		DIMENSIONS AS - D	FITTING
				KONEKSI FITTING	EKOR TO HOSE		
87611-12-12	41.5	8.8	FS-12	12 PH	3/4"	32	STANDART
87611-16-12	47.7	9.6	FS-16	16 PH	3/4"	38	JUMP SIZE
87611-16-16	47.7	9.6	FS-16	16 PH	1"	38	STANDART
87611-20-16	54.2	10.3	FS-20	20 PH	1"	44	JUMP SIZE
87611-20-20	54.2	10.3	FS-20	20 PH	1-1/4"	44	STANDART
87611-24-20	63.6	12.6	FS-24	24 PH	1-1/4"	51	JUMP SIZE
87611-24-24	63.6	12.6	FS-24	24 PH	1-1/2"	51	STANDART
87611-32-24	79.5	12.6	FS-32	32 PH	2"	67	JUMP SIZE
87611-32-32	79.5	12.6	FS-32	32 PH	2"	67	STANDART

NOTE : FITTING FLANGE PA, PH DAN PHC. MIRIP HANYA BEDA DIMENSI DAN TEBAL FLANGE
Untuk type belok 90 ° dan 45° ukuran sama hanya beda belok saja , perhatikan untuk type Jump Size.


FITTING FLANGE C-63 / FLANGE 9000 PSI / FITTING PHC CAT

							
PART NO.	FLANGE O.D - C	TEBAL FLANGE L (mm)	SPLIT FLANGE	HOSE BORE		DIMENSIONS	FITTING
				KONEKSI FITTING	EKOR TO HOSE	AS - D	
87911-12-12	41.3	14.3	FSC-12	12 PHC	3/4"	32	STANDART
87911-16-12	47.6	14.3	FSC-16	16 PHC	3/4"	38	JUMP SIZE
87911-16-16	47.6	14.3	FSC-16	16 PHC	1"	38	STANDART
87911-20-16	54	14.3	FSC-20	20 PHC	1"	43	JUMP SIZE
87911-20-20	54	14.3	FSC-20	20 PHC	1-1/4"	43	STANDART
87911-24-20	63.5	14.3	FSC-24	24 PHC	1-1/4"	51	JUMP SIZE
87911-24-24	63.5	14.3	FSC-24	24 PHC	1-1/2"	51	STANDART

NOTE : FITTING FLANGE PA, PH DAN PHC. MIRIP HANYA BEDA DIMENSI DAN TEBAL FLANGE

Untuk type belok 90 ° dan 45° ukuran sama hanya beda belok saja , perhatikan untuk type Jump Size.


FITTING NPT MALE / FITTING MB

							
PART NO.	THREAD - E	O.D. - E (mm)	O.D. DOUBEL NEPPEL (mm)	HOSE BORE		DIMENSIONS	FITTING
				KONEKSI FITTING	EKOR TO HOSE	HEXAGON - S2	
15611-04-04	18-G	13.5	-	04 MB	1/4"	17	STANDART
15611-06-04	18-G	17.1	-	06 MB	1/4"	19	JUMP SIZE
15611-06-06	18-G	17.1	-	06 MB	3/8"	19	STANDART
15611-08-06	14-G	21.5	-	08 MB	3/8"	22	JUMP SIZE
15611-08-08	14-G	21.5	-	08 MB	1/2"	22	STANDART
15611-10-10	14-G	23	-	10 MB	5/8"	24	STANDART
15611-12-12	11-G	26.9	-	12 MB	3/4"	27	STANDART
15611-16-12	11-G	33.7	-	16 MB	3/4"	34	JUMP SIZE
15611-16-16	11-G	33.7	-	16 MB	1"	34	STANDART
15611-20-20	11-G	42.5	-	20 MB	1-1/4"	46	STANDART
15611-24-24	11-G	48.6	-	24 MB	1-1/2"	50	STANDART
15611-32-32	11-G	59.9	-	32 MB	2"	64	STANDART

NOTE :

Perhatikan untuk type Jump Size.

FITTING RO TYPE L / FITTING O-RING METRIC




PART NO.	THREAD - E	INNER - E (mm)	TUBE - T	HOSE BORE		DIMENSIONS HEXAGON - S2	FITTING
				KONEKSI FITTING	EKOR TO HOSE		
20411-04-12	12M x 1.5	10.5	6 mm	RO 6L	1/4"	17	STANDART
20411-04-14	14M x 1.5	12.5	8 mm	RO 8L	1/4"	17	STANDART
20411-04-16	16M x 1.5	14.5	10 mm	RO 10L	1/4"	22	STANDART
20411-06-16	16M x 1.5	14.5	10 mm	RO 10L	3/8"	22	STANDART
20411-06-18	18M x 1.5	16.5	12 mm	RO 12L	3/8"	22	STANDART
20411-08-22	22M x 1.5	20.5	15 mm	RO 15L	1/2"	27	STANDART
20411-10-26	26M x 1.5	24.5	18 mm	RO 18L	5/8"	32	STANDART
20411-12-30	30M x 2.0	28	22 mm	RO 22L	3/4"	35	STANDART
20411-12-36	36M x 2.0	34	28 mm	RO 28L	3/4"	41	STANDART
20411-16-36	36M x 2.0	34	28 mm	RO 28L	1"	41	STANDART
20411-20-45	45M x 2.0	43	35 mm	RO 35L	1-1/4"	55	STANDART
20411-24-52	52M x 2.0	50	42 mm	RO 42L	1-1/2"	60	STANDART

NOTE : TYPE FITTING RO ADA 2 TYPE L & S, HANYA BEDA DIMESI DRAT DAN TUBE NYA SAJA.

Untuk type belok 90 ° dan 45° ukuran sama hanya beda belok saja , perhatikan untuk type Jump Size.

FITTING RO TYPE S / FITTING O-RING METRIC




PART NO.	THREAD - E	INNER - E (mm)	TUBE - T	HOSE BORE		DIMENSIONS HEXAGON - S2	FITTING
				KONEKSI FITTING	EKOR TO HOSE		
20511-04-14	M14 x 1.5	12.5	6 mm	RO 6S	1/4"	17	STANDART
20511-06-18	M18 x 1.5	16.5	10 mm	RO 10S	3/8"	22	STANDART
20511-06-20	M20 x 1.5	18.5	12 mm	RO 12S	3/8"	24	STANDART
20511-08-24	M24 x 1.5	22.5	16 mm	RO 16S	1/2"	30	STANDART
20511-12-30	M30 x 2.0	28	20 mm	RO 20S	3/4"	35	STANDART
20511-12-36	M36 x 2.0	34	25 mm	RO 25S	3/4"	41	STANDART
20511-16-36	M36 x 2.0	34	25 mm	RO 25S	1"	41	STANDART
20511-16-42	M42 x 2.0	40	30 mm	RO 30S	1"	50	STANDART
20511-20-42	M42 x 2.0	40	30 mm	RO 30S	1-1/4"	50	STANDART
20511-24-52	M52 x 2.0	50	38 mm	RO 38S	1-1/2"	60	STANDART

NOTE : TYPE FITTING RO ADA 2 TYPE L & S, HANYA BEDA DIMESI DRAT DAN TUBE NYA SAJA.

Untuk type belok 90 ° dan 45° ukuran sama hanya beda belok saja , perhatikan untuk type Jump Size.


FITTING MJP METRIC / FITTING REM



PART NO.	THREAD - E	O.D. - E (mm)	PANJANG - C (mm)	HOSE BORE		DIMENSIONS	FITTING
				KONEKSI FITTING	EKOR TO HOSE	HEXAGON - S1	
10811-04-12	M12 x 1.0	12	32.5	MJP 04-12S	1/4"		STANDART
10811-04-12	M12 x 1.5	12	34	MJP 04-12	1/4"		STANDART
10811-04-14	M14 x 1.5	14	34	MJP 04-14	1/4"		STANDART
10811-06-14	M14 x 1.5	14	34	MJP 06-14	3/8"		STANDART
10811-04-16	M16 x 1.5	16	34	MJP 04-16	1/4"		STANDART
10811-06-16	M16 x 1.5	16	34	MJP 06-16	3/8"		STANDART
10811-06-20	M20 x 1.5	20	40	MJP 06-20	3/8"		STANDART
10811-08-20	M20 x 1.5	20	40	MJP 08-20	1/2"		STANDART
10811-08-22	M22 x 1.5	22	45	MJP 08-22	1/2"		STANDART

NOTE :


FITTING BANJO / BANYO / FITTING SOLAR



PART NO.	INNER TUBE - D	TEBAL - H	PANJANG - C (mm)	HOSE BORE		DIMENSIONS	FITTING
				KONEKSI FITTING	EKOR TO HOSE	HEXAGON - S1	
70011-04-10	10		-	BANJO 04-10MM	1/4"	-	STANDART
70011-04-12	12		-	BANJO 04-12MM	1/4"	-	STANDART
70011-04-14	14		-	BANJO 04-14MM	1/4"	-	STANDART
70011-04-16	16		-	BANJO 04-16MM	1/4"	-	STANDART
70011-06-14	14		-	BANJO 06-14MM	3/8"	-	STANDART
70011-06-16	16		-	BANJO 06-16MM	3/8"	-	STANDART
70011-08-18	18		-	BANJO 08-18MM	1/2"	-	STANDART
70011-08-22	22		-	BANJO 08-22MM	1/2"	-	STANDART
70011-10-22	22		-	BANJO 10-22MM	5/8"	-	STANDART

NOTE :

FITTING HTC MALE / ORFS MALE




PART NO.	THREAD - E	O.D. - E (mm)	PANJANG - C (mm)	HOSE BORE		DIMENSIONS	FITTING
				KONEKSI FITTING	EKOR TO HOSE	HEXAGON - S1	
14211-04-04	9/16" - 18 G	14.3	-	04 HTC MALE	1/4"		STANDART
14211-06-06	11/16" - 16 G	17.4	-	06 HTC MALE	3/8"		STANDART
14211-08-08	13/16" - 16 G	20.6	-	08 HTC MALE	1/2"		STANDART
14211-10-10	1" - 14 G	25.4	-	10 HTC MALE	5/8"		STANDART
14211-12-12	1.3/16" - 12 G	30.1	-	12 HTC MALE	3/4"		STANDART
14211-16-16	1.7/16" - 12 G	36.5	-	16 HTC MALE	1"		STANDART
14211-20-20	1.11/16" - 12 G	42.8	-	20 HTC MALE	1-1/4"		STANDART
14211-24-24	2" - 12 G	50.8	-	24 HTC MALE	1-1/2"		STANDART

NOTE :

Pasangan untuk fitting HTC female / ORFS female

FITTING BSP MALE / FITTING MU




PART NO.	THREAD - E	O.D. - E (mm)	PANJANG - C (mm)	HOSE BORE		DIMENSIONS	FITTING
				KONEKSI FITTING	EKOR TO HOSE	HEXAGON - S1	
12611-04-04	19-G	13	-	04 MU	1/4"		STANDART
12611-06-06	19-G	16.5	-	06 MU	3/8"		STANDART
12611-08-08	14-G	20.8	-	08 MU	1/2"		STANDART
12611-10-10	14-G	22.8	-	10 MU	5/8"		STANDART
12611-12-12	11-G	26.4	-	12 MU	3/4"		STANDART
12611-16-16	11-G	33	-	16 MU	1"		STANDART
12611-20-20	11-G	41.7	-	20 MU	1-1/4"		STANDART
12611-24-24	11-G	47.5	-	24 MU	1-1/2"		STANDART
12611-32-32	11-G	59.4	-	32 MU	2"		STANDART

NOTE :

Pasangan untuk fitting BSP female / NU female

FITTING JIC MALE / FITTING MJ




PART NO.	THREAD - E	O.D. - E (mm)	PANJANG - C (mm)	HOSE BORE		DIMENSIONS	FITTING
				KONEKSI FITTING	EKOR TO HOSE	HEXAGON - S1	
16711-04-04	7/16" - 20 G	11.1	-	04 MJ	1/4"		STANDART
16711-06-06	9/16" - 18 G	14.3	-	06 MJ	3/8"		STANDART
16711-08-08	3/4" - 16 G	19.1	-	08 MJ	1/2"		STANDART
16711-10-10	7/8" - 14 G	22.2	-	10 MJ	5/8"		STANDART
16711-12-12	1-1/16" - 12 G	27	-	12 MJ	3/4"		STANDART
16711-16-16	1-5/16" - 12 G	33.3	-	16 MJ	1"		STANDART
16711-20-20	1-5/8" - 12 G	41.3	-	20 MJ	1-1/4"		STANDART
16711-24-24	1-7/8" - 12 G	47.6	-	24 MJ	1-1/2"		STANDART
16711-32-32	2-1/2" - 12 G	63.5	-	32 MJ	2"		STANDART

NOTE :

Pasangan untuk fitting JIC female / NJ female

FITTING MZ / RO MALE / FITTING MG (Type L)




PART NO.	THREAD - E	O.D. - E (mm)	Tube - E	HOSE BORE		DIMENSIONS	FITTING
				KONEKSI FITTING	EKOR TO HOSE	HEXAGON - S1	
10411-04-12	12M x 1.5	10.5	6	MZ 04-6L	1/4"		STANDART
10411-04-14	14M x 1.5	12.5	8	MZ 04-8L	1/4"		STANDART
10411-04-16	16M x 1.5	14.5	10	MZ 04-10L	1/4"		STANDART
10411-06-16	16M x 1.5	14.5	10	MZ 06-10L	3/8"		STANDART
10411-06-18	18M x 1.5	16.5	12	MZ 06-12L	3/8"		STANDART
10411-08-22	22M x 1.5	20.5	15	MZ 08-15L	1/2"		STANDART
10411-10-26	26M x 1.5	24.5	18	MZ 10-18L	5/8"		STANDART
10411-12-30	30M x 2.0	28	22	MZ 12-22L	3/4"		STANDART
10411-12-36	36M x 2.0	34	28	MZ 12-28L	3/4"		STANDART
10411-16-36	36M x 2.0	34	28	MZ 16-28L	1"		STANDART
10411-20-45	45M x 2.0	43	35	MZ 20-35L	1-1/4"		STANDART
10411-24-52	52M x 2.0	50	42	MZ 24-42L	1-1/2"		STANDART

NOTE :

Pasangan untuk fitting RO type L female

FITTING MZ / RO MALE / FITTING MG (Type S)



PART NO.	THREAD - E	O.D. - E (mm)	Tube - E	HOSE BORE		DIMENSIONS HEXAGON - S1	FITTING
				KONEKSI FITTING	EKOR TO HOSE		
10511-04-14	M14 x 1.5	12.5	6	MZ 04-6S	1/4"		STANDART
10511-06-18	M18 x 1.5	16.5	10	MZ 06-10S	3/8"		STANDART
10511-06-20	M20 x 1.5	18.5	12	MZ 06-12S	3/8"		STANDART
10511-08-24	M24 x 1.5	22.5	16	MZ 08-16S	1/2"		STANDART
10511-12-30	M30 x 2.0	28	20	MZ 12-20S	3/4"		STANDART
10511-12-36	M36 x 2.0	34	25	MZ 12-25S	3/4"		STANDART
10511-16-36	M36 x 2.0	34	25	MZ 16-25S	1"		STANDART
10511-16-42	M42 x 2.0	40	30	MZ 16-30S	1"		STANDART
10511-20-42	M42 x 2.0	40	30	MZ 20-30S	1-1/4"		STANDART
10511-24-52	M52 x 2.0	50	38	MZ 24-38S	1-1/2"		STANDART

NOTE :

Pasangan untuk fitting RO type S female

Untuk Koneksi **FITTING** yang tidak ada di Catalogue,

Silahkan hubungi **ADMIN** kami.

Jika butuh Catalogue Versi lengkap bisa chat Admin kami.

